

Quality of the Soil, Timber, &c. on the Township Lines.				East Boundary.		South Boundary.		Description of the Land, Timber, &c. on the Interior Sectional Lines.		Corner on Indian Reserve and Lake				
Sec.				Sec.		Sec.		Sec.		Posts.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant
36		Rolling & good Soil. Rich. Lynn Ash. Oak &c.		36		36		36		1	B. Oak	10	Corner	
25		Rolling & good Soil. Same. Middle part rolling Barren.		35		25		25		2	R. Oak	18	S 85 E 31	
24		Rolling & good Soil. Rich. Lynn. Ash. Lynn. Walnut. Basswood. &c.		34		24		24		3	Aspen	12	S 12 W 19	
13		Same.		33		13		13		4	Elm	10	S 6 E 34	
12		Same.		32		12		12		5	B. Oak	45	S 55 W 44	
1		Same.		31		1		1		6	R. Oak	24	S 7 E 52	
		Same.		30				30		7	M. Oak	30	N 54 W 35	
		Same.		29				29		8	Br. Oak	18	S 55 W 1.49	
		Same.		28				28		9				
		Same.		27				27		10				
		Same.		26				26		11				
		Same.		25				25		12				
		Same.		24				24		13				
		Same.		23				23		14				
		Same.		22				22		15				
		Same.		21				21		16				
		Same.		20				20		17				
		Same.		19				19		18				
		Same.		18				18		19				
		Same.		17				17		20				
		Same.		16				16		21				
		Same.		15				15		22				
		Same.		14				14		23				
		Same.		13				13		24				
		Same.		12				12		25				
		Same.		11				11		26				
		Same.		10				10		27				
		Same.		9				9		28				
		Same.		8				8		29				
		Same.		7				7		30				
		Same.		6				6		31				
		Same.		5				5		32				
		Same.		4				4		33				
		Same.		3				3		34				
		Same.		2				2		35				
		Same.		1				1		36				
		Same.								37				



## Exterior Section and Quarter Section Corners Described.

Posts.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.
A	Buck	18	N 15° E	16
a	Elm	15	N 32° E	37
B	W. Oak	12	S 34° E	32
b	Do	18	S 53° W	95
C	W. Oak	30	S 40° W	90
c	Do	24	S 24° E	29
D	Hickory	24	S 77° W	35
d	W. Oak	48	S 43° E	134
E	Set Post in	Mound		
e				
F	B. Walnut	22	S 39° W	73
f	W. Oak	12	S 31° E	35
G	Set Post in	Mound		
g	Elm	10	N 69° W	40
h	Do	19	S	
H	Sugar	10	S 47° W	29
	Do	15	N 79° W	35
I	B. Oak	12	S 44° W	47
i	Sycamore	28	S 77° W	53
	W. Oak	22	S 34° W	31
	Buck	20	S 34° W	42
	W. Oak	18	S 88° W	50
K	Buck	24	S 44° W	63
k	Buck	10	S 34° W	22
	W. Oak	18	S 72° W	32
	Do	10	S 53° W	41
L	Hickory	12	S 54° W	48
	Sycamore	12	N 86° W	39
	W. Oak	18	S 34° W	49
	Do	16	S 53° W	42
M	B. Oak	14	S 45° W	51
	W. Oak	15	S 60° W	57
m	Buck	26	S 34° W	13
	Do	15	S 27° W	89
N	Buck	24	S 83° W	75
	B. Walnut	11	N 1° W	58
n	W. Oak	18	N 60° E	44
	Do	14	N 63° E	20
O	W. Oak	14	N 73° E	40
	B. Oak	9	N 72° E	42
	W. Oak	23	S 43° E	24
	Do	8	N 74° W	5
P	W. Oak	30	S 51° W	27
	Do	12	S 83° W	210
q	B. Walnut	20	S 72° W	73
	Hickory	8	S 19° E	12
Q	Elm	5	N 42° E	39
	Maple	24	N 35° W	4
q	W. Oak	19	N 77° W	22
	W. Oak	24	N 55° E	14
R	Blue Oak	17	N 33° E	45
	Elm	13	N 74° W	144
r	Blue Oak	9	N 70° W	128
	Sycamore	5	N 73° W	153
S	Elm	18	N 53° E	111
	Sycamore	14	N 77° W	130
s	W. Oak	10	N 53° E	43
	Elm	18	N 53° W	139
T	Buck	17	N 77° E	28
	Do	17	S 4° E	19
t	W. Walnut	11	S 73° W	18
	Hickory	3	N 14° E	14
U	W. Oak	30	N 33° E	161
	Do	20	S 73° E	173

## Interior Section Corners Described.

Corners of Sections.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.
25, 26, 35, 36,	W. Oak	30	N 46° W	105
23, 24, 25, 26,	Lin Lake.			
13, 14, 23, 24,	Lin Lake.			
11, 12, 13, 14,	W. Oak	24	N 58° E	5
	B. Oak	9	N 52° W	16
1, 2, 11, 12,	B. Oak	20	S 44° W	22
	Do	10	N 33° E	108
26, 27, 34, 35,	B. Elm	14	S 71° W	90
	B. Oak	7	N 53° E	39
22, 23, 26, 27,	Buck	30	S 39° E	33
	Do	24	N 43° W	30
14, 15, 22, 23,	Lin Lake.			
10, 11, 14, 15,	W. Oak	11	N 57° E	156
	Do	14	N 43° E	225
2, 3, 10, 11,	B. Oak	30	N 77° E	138
	W. Oak	30	N 71° W	113
27, 28, 33, 34,	W. Oak	8	N 43° W	189
	Blue Oak	9	N 35° E	11
21, 22, 27, 28,	Sycamore	8	N 74° W	309
	B. Oak	38	S 84° E	29
15, 16, 21, 22,	B. Oak	19	S 2° W	44
	B. Oak	28	N 76° E	98
9, 10, 15, 16,				
3, 4, 9, 10,	W. Oak	18	S 45° E	149
	Do	12	N 83° E	138
28, 29, 32, 33,	Buck	8	S 10° W	8
	Do	10	N 32° E	30
20, 21, 28, 29,	Aspen	14	S 44° E	150
	B. Oak	24	S 64° W	82
16, 17, 20, 21,	Sycamore	18	S 34° W	34
	B. Oak	10	S 54° E	38
8, 9, 16, 17,				
4, 5, 8, 9,				
29, 30, 31, 32,	W. Oak	18	S 74° E	239
	Do	38	S 15° W	184
19, 20, 29, 30,	B. Oak	30	S 25° E	153
	Hickory	8	N 34° W	132
17, 18, 19, 20,	W. Oak	20	N 53° E	137
	B. Oak	24	N 87° W	238
7, 8, 17, 18,	W. Oak	24	N 51° E	109
	B. Oak	24	N 39° W	55
5, 6, 7, 8,	Elm	8	N 49° W	30
	B. Oak	14	S 25° E	30


## Interior Quarter Section Corners Described.

Qr. Sec. Posts on the Lines.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.
M to U at 1	W. Oak	18	S 52° E	10
	Do	16	N 34° W	41
2	B. Oak	20	N 18° W	25
3	B. Oak	9	South	33
4	Sycamore	9	S 52° W	35
	W. Oak	11	N 9° E	17
5	Buck	10	N 33° E	18
	W. Oak	38	N 44° W	77
	B. Oak	10	Corner	
6	B. Oak	8	N 53° W	85
	Hickory	10	N 53° E	38
L to V at 1	B. Oak	14	N 10° W	174
	Sycamore	12	South	256
2	Lin Lake.			
3	Buck	20	N 8° E	9
	B. Oak	28	S 54° W	9
4	B. Oak	10	S 32° E	33
	B. Oak	20	N 77° E	99
5	B. Oak	12	S 13° E	10
	B. Oak	12	N 33° E	53
6	W. Oak	25	S 77° W	130
	Hickory	20	N 53° E	22
K to W at 1	Buck	22	S 74° W	70
	Do	5	S 74° E	141
2	Lin Lake.			
3	Lin Lake.			
4	B. Oak	10	N 53° E	150
	W. Oak	20	N 34° E	189
5	Buck	20	N 39° E	15
	Do	19	S 31° E	37
6	W. Oak	18	S 74° W	20
	Do	19	N 35° E	47
I to X at 1	Buck	12	S 27° E	5
	Do	6	N 42° W	45
2	Lin Lake.			
3	Lin Lake.			
4	Lin Lake.			
5	Lin Lake.			
6	B. Oak	24	N 34° W	149
	Do	30	S 34° E	133
H to Y at 1	Elm	10	N 83° E	15
	B. Oak	19	S 15° E	18
2	W. Oak	19	N 43° E	29
	Do	19	S 73° W	18
3	W. Oak	35	S 83° W	54
	Do	18	N 19° W	81
4	W. Oak	19	S 72° E	53
	Do	9	S 71° E	519
5	Lin Lake.			
6	W. Oak	20	N 33° W	112
	Do	24	S 54° W	30
O to F at 1	W. Oak	22	S 82° E	24
	Do	11	S 80° W	141
2	Sycamore	30	South	600
	W. Oak	8	North	668
3	B. Oak	10	N 43° E	18
	B. Oak	10	N 60° W	21
4	B. Oak	16	S 39° E	16
	Buck	7	S 81° W	20
5	B. Oak	9	N 71° E	109
	Hickory	12	S 44° W	220
6	B. Oak	20	N 77° W	91
	Do	18	S 53° E	211
38.	W. Oak	24	S 33° W	13
	Do	16	S 41° E	61
39	W. Oak	20	S 79° E	102
	B. Oak	28	S 25° W	109



Township N<sup>o</sup> 34 N. Range N<sup>o</sup> 7 E. 2<sup>d</sup> Mer. Ind<sup>a</sup>.

45



Surveyed in 1834 by Robert J. Dawson Deputy Surveyor.

Reserve Subdivided in 1838 by A. S. C. Vance

I certify that the above is a true copy of the  
Original plat in this Office.  
Surveyor General's Office. Lucius Lyon, Sur. Gen.  
Detroit Nov. 1. 1849.